


# All-Attitude Mounts



Tech Products' 56421 Series elastomeric mounts have an aluminum center plate suited for built-in electronics. The 56422 Series is a holder style for applications where a base mounted configuration is needed. The elastomer in compression design assures effective isolation in all directions.

The highly damped silicone elastomer provides optimum vibration isolation over a temperature range of -80° to 300° F. The radial to axial stiffness ratio is approximately 0.6.

## Features

- All-Attitude design for mounting in any orientation
- Capable of withstanding 30g, 11 millisecond shock loads
- High Damped Silicone elastomer
- Holder style available for base mounting installation

## Flush Mount Style


Part No.	Color Code	Max. Stationary Load (lbs.)
56421-30	Gray	3.0
56421-40	Red	4.5
56421-50	Yellow	7.0
56421-60	Green	10.0

## Holder Style


Part No.	Color Code	Max. Stationary Load (lbs.)
56422-40	Red	4.5
56422-50	Yellow	7.0
56422-60	Green	10.0

# All-Attitude Mounts


## Flush Mount Style




## Holder Style



## Axial Stiffness



# All-Attitude Mounts



522 Series All-Attitude isolators protect stationary loads of 15-50 lbs. and vehicular loads up to 30 lbs. from vibration, shock and noise.

Neoprene elastomer is standard, but High Damped Silicone (HDS) is also available to meet application needs. Neoprene models have a temperature range of -20° to 180° F with excellent resistance to oil and ozone. The HDS models have a temperature range of -80° to 300° F and a maximum transmissibility of about 3.5.

## Features

- Elastomer in compression design for multi-axis loading
- Standard neoprene elastomer
- High Damped Silicone Available
- Capable of withstanding high shock-loads (see vehicular load ratings)

## Flush Mount Style


Part No.	Color Code	Max. Stationary Load (lbs.)
52205	Red	15
52206	Green	25
52207	Yellow	35
52208	Blue	50

## Holder Style

Part No.	Color Code	Max. Stationary Load (lbs.)
52205-H	Red	15
52206-H	Yellow	25
52207-H	Green	35
52208-H	Blue	50

# All-Attitude Mounts

## Flush Mount Style



## Holder Style

